


INSERT FILETE OUVERT ACIER TETE AUTOAFFLEURANTE



Ref:	M	SS	FØ TROU	L	T	D	K	L2	Boitage	Traction DaN	Cisaillement DaN	Couple mN
ICOAAM2,5CD4	M2,5	1,5-1,7	4	6.4	4.6	3.9	0.3		500	300		1
ICOAAM03CD5	M3	0,5-2,0	5.0	8.5	5.5	4.9	0.4	5.5	1000	390	90	1
ISOAAM03LD5		1,5-2,5		10.0					500			
ICOAAM04CD6	M4	0,5-2,0	6.0	10.0	7.0	5.9	0.5	6.5	500	680	150	3
ICOAAM04LD6		2,5-4,0		13.0								
ISOAAM04CD6,4	M4	0,2-2,0	6.4	10.5	6.7	6.3	0.6	7.3	500			
ICOAAM05CD7	M5	0,5-3,0	7.0	12.0	8.0	6.9	0.5	7.5	500	1150	200	6
ICOAAM05LD7		2,0-4,5		13.0								
ISOAAM05CD7,2		0,5-3,0		7.2								
ICOAAM06CD9	M6	0,5-3,0	9.0	14.0	10.0	8.9	0.6	9.5	250	1650	300	11
ICOAAM06LD9		2,0-3,5		17.5								
ISOAAM06CD9,6		0,5-2,0		9.6								
ICOAAM08CD1,06	M8	0,5-3,0	11.0	10.6	12.0	10.9	0.6	11.0	250	2500	440	20
ICOAAM08CD11		0,5-3,0		16.5								
ICOAAM08LD11		3,0-6,0		19.5								
ICOAAM10CD12	M10	1,0-2,5	13.0	12.0	14.0	12.9	0.8	12.0	200	3200	500	32
ICOAAM10CD13		1,0-3,5		21.0								
ICOAAM10LD13		3,0-6,0										
ICOAAM12CD16	M12	1,0-4,0	16	24	18	15.9	1	14	100	340	650	50

S = fut lisse
C= fut cranté